




TELECOMMUNICATIONS CONNECTOR

UNSHIELDED FAMILY 22-25

SHIELDED FAMILY.....26-29



The keystone jacks are individually terminated using 110 Insulation Displacement Connectors (IDC) with punch down cap for quick installation. User instructions and basic wiring layouts for standard configuration are included.

The Keystone Jacks come with T568A or T568B wiring and comply fully with TIA/EIA-568-B.2 specifications for Insertion loss (Attenuation), Near-end crosstalk (NEXT) loss, Return loss, and Far-end crosstalk (FEXT) loss for any pair combination up to 100 MHz.

SPECIFICATION:

UL & 3P Certified, Patented, meet FCC parts 68, meet TIA/EIA-568-B.2: Category 5e transmission performance, IDC requires no conductor pre stripping.

ELECTRICAL:

Current Rating: 1.5 Amps, Insulation Resistance: 500 Mega-ohm minimum, Contact Resistance: 20 Milli-ohm maximum, DC Resistance: 0.1 ohm maximum, Exceed Category 5e Requirements Specified in TIA/EIA-568-B.2, Data Transmission Rates up to 1000Mbps.

MECHANICAL:

Plug Insertion Life: 750 cycles minimum, Plug & Jack Contact Force: 100 grams minimum using FCC approved plug, Plug Retention Force: 30 lbs minimum, Temperature: -40°F to 150°F (-40°C to 68°C).

PHYSICALS:

Housing: High Impact flame retardant plastic, UL 94V-0 rated, Jack Wiring: 50 micro inch of gold over 100 micro inch of nickel, Connector: Insulation Displacement Connector (IDC) accept 24~26 AWG solid wire.

APPLICATION:

10BASE-T, 100BASE-T, 1000BASE-T, ATM, 4/16MB Token Ring, CDDI, TP-PMD, ISDN, ADSL or others.



UNSHIELDED FAMILY

ORDERING INFORMATION

| Part No. | Description |
|-----------------|---|
| 3013A-C8-C6A/B | 180° Cat.6 Keystone Jack. RJ45 (8P8C) T568A/T568B. |
| 3013A-C8-C5eA/B | 180° Cat.5e Keystone Jack. RJ45 (8P8C) T568A/T568B. |

| Part No. | Description |
|------------------|---|
| 3013A-FB8-C6ABL | 180° Cat.6 Keystone Jack. RJ45 (8P8C) T568A/T568B. |
| 3013A-FB8-C5eABL | 180° Cat.5e Keystone Jack. RJ45 (8P8C) T568A/T568B. |



UNSHIELDED FAMILY

ORDERING INFORMATION

| Part No. | Description |
|------------------|--|
| 3013A-VH8-C5eABL | 90° Cat.5e Keystone Jack. RJ45 (8P8C) T568A/T568B. |

| Part No. | Description |
|------------------|--|
| 3013A-L8R-C6ABL | 90° Cat.6 Toolless Keystone Jack. RJ45 (8P8C) T568A/T568B. PATENED |
| 3013A-L8R-C5eABL | 90° Cat.5e Toolless Keystone Jack. RJ45 (8P8C) T568A/T568B. |

UNSHIELDED FAMILY

ORDERING INFORMATION

| Part No. | Description |
|-------------------|---|
| 3013A-ND8N-C6ABL | 180° Cat.6 Keystone Jack W/Shutter. RJ45 (8P8C) T568A/T568B. |
| 3013A-ND8N-C5eABL | 180° Cat.5e Keystone Jack W/Shutter. RJ45 (8P8C) T568A/T568B. [National Compatible.] |

| Part No. | Description |
|-------------------|---|
| 3013A-FTH8-C6A/B | 180° Cat.6 Keystone Jack. RJ45 (8P8C) T568A/T568B. |
| 3013A-FTH8-C5eA/B | 180° Cat.5e Keystone Jack. RJ45 (8P8C) T568A/T568B. [AT&T Compatible.] |





UNSHIELDED FAMILY

ORDERING INFORMATION

| Part No. | Description |
|-----------|---|
| 310MD-4KJ | 90° S-Video Keystone Jack. (Mini DIN-4). PATENTED |

| Part No. | Description |
|---------------|--|
| 310RCA-XX-2KJ | 90° RCA Keystone Jack. PATENTED XX: Color (RCA) WH: WHITE, RD: RED, YL: YELLOW. |



SHIELDED FAMILY

ORDERING INFORMATION

| Part No. | Description |
|------------------|--|
| 3013A-C8S-C6A/B | 180° Cat.6 Shielded Keystone Jack. RJ45 (8P8C) T568A/T568B. |
| 3013A-C8S-C5eA/B | 180° Cat.5e Shielded Keystone Jack. RJ45 (8P8C) T568A/T568B. |

| Part No. | Description |
|-------------------|--|
| 3013A-FB8S-C6ABL | 180° Cat.6 Shielded Keystone Jack. RJ45 (8P8C) T568A/T568B. |
| 3013A-FB8S-C5eABL | 180° Cat.5e Shielded Keystone Jack. RJ45 (8P8C) T568A/T568B. |



SHIELDED FAMILY

ORDERING INFORMATION

| Part No. | Description |
|-------------------|---|
| 3013A-L8RS-C6ABL | 90° Cat.6 Shielded Toolless Keystone Jack. RJ45 (8P8C) T568A/T568B. |
| 3013A-L8RS-C5eABL | 90° Cat.5e Shielded Toolless Keystone Jack. RJ45 (8P8C) T568A/T568B. |



| Part No. | Description |
|--------------------|---|
| 3013A-L8RFS-C6ABL | 90° Cat.6 Fully Shielded Toolless Keystone Jack. RJ45 (8P8C) T568A/T568B. |
| 3013A-L8RFS-C5eABL | 90° Cat.5e Fully Shielded Toolless Keystone Jack. RJ45 (8P8C) T568A/T568B. |



SHIELDED FAMILY

ORDERING INFORMATION

| Part No. | Description |
|----------|------------------------|
| 3013A-S | Shield cover. PATENTED |



| Part No. | Description |
|-------------------|---|
| 3013A-C8FS-C6A/B | 180° Cat.6 Fully Shielded Keystone Jack. RJ45 (8P8C) T568A/T568B. |
| 3013A-C8FS-C5eA/B | 180° Cat.5e Fully Shielded Keystone Jack. RJ45 (8P8C) T568A/T568B. |



SHIELDED FAMILY

ORDERING INFORMATION

| Part No. | Description |
|--------------------|---|
| 3013A-FB8FS-C6ABL | 180° Cat.6 Fully Shielded Keystone Jack. RJ45 (8P8C) T568A/T568B. |
| 3013A-FB8FS-C5eABL | 180° Cat.5e Fully Shielded Keystone Jack. RJ45 (8P8C) T568A/T568B. |

| Part No. | Description |
|---------------------|---|
| 3013A-VH8FS2-C6ABL | 90° Cat.6 Fully Shielded Keystone Jack. RJ45 (8P8C) T568A/T568B. PATENTED |
| 3013A-VH8FS2-C5eABL | 90° Cat.5e Fully Shielded Keystone Jack. RJ45 (8P8C) T568A/T568B. PATENTED |